PATENT COOPERATION TREATY

PCT

REC'D 05 SEP 2003

INTERNATIONAL PRELIMINARY EXAMINATION REPA

PCT

(PCT Article 36 and Rule 70)

FOR FURTHER ACTION See Initiation Section Sectio
PCT/US02/21860 26 JUNE 2002 27 JUNE 2001 International Patent Classification (IPC) or national classification and IPC IPC(7): B01J 19/00 and US Cl.: 422/129, 130, 236 Applicant NU ELEMENT, INC. 1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of
International Patent Classification (IPC) or national classification and IPC IPC(7): B0IJ 19/00 and US Cl.: 422/129, 130, 236 Applicant NU ELEMENT, INC. 1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of
Applicant NU ELEMENT, INC. 1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of
1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of
Examining Authority and is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority. (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets. 3. This report contains indications relating to the following items: I X Basis of the report II Priority III Non-establishment of report with regard to novelty, inventive step or industrial applicability IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority. (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets. 3. This report contains indications relating to the following items: I X Basis of the report II Priority III Non-establishment of report with regard to novelty, inventive step or industrial applicability IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
3. This report contains indications relating to the following items: I X Basis of the report II Priority III Non-establishment of report with regard to novelty, inventive step or industrial applicability IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
I X Basis of the report II Priority III Non-establishment of report with regard to novelty, inventive step or industrial applicability IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
II Priority III Non-establishment of report with regard to novelty, inventive step or industrial applicability IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
Non-establishment of report with regard to novelty, inventive step or industrial applicability IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
IV Lack of unity of invention V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
VI Certain documents cited
VII Certain defects in the international application
VIII Certain observations on the international application
Date of submission of the demand Date of completion of this report
27 JANUARY 2003 03 AUGUST 2003
Name and mailing address of the IPEA/US Authorized officer
Commissioner of Patents and Trademarks Box PCT JILL WARDEN Jean Process
Washington, D.C. 20231 Facsimile No. (703) 305–3230 Telephone No. (703) 308–0661

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

· 3.

International application No.

PCT/US02/21860

I. B	asis of t	the report		
1. With	ı regard t	to the elements of the intern	national application:*	
X		ernational application as		
		scription:		
X		1-20		, as originally filed
		NONE		
	pages		, filed with the letter of	f
X	the cla			
	pages		1.161	, as originally filed
		NONE NONE	, as amended (together w	
	pages	NONE	, filed with the letter of	, filed with the demand
	pagos		, mod with the letter of	
X	the dra	awings:		
	pages	1-18		, as originally filed
	pages	NONE		, filed with the demand
	pages	NONE	, filed with the letter of	
	_			
X		quence listing part of the NONE	-	
				, as originally filed
	pages	NONE	, filed with the letter of	, filed with the demand
	pages	NONE	, filed with the letter of	1-1-
	the lan	guage of publication of	the international application (under Rule	48.3(b)).
Ш	or 55.3)		hished for the purposes of international prelimina	ary examination (under Rules 55.2 and/
			or amino acid sequence disclosed in the integer of out on the basis of the sequence listing:	ernational application, the international
	contain	ned in the international a	application in printed form.	
	filed to	gether with the internat	ional application in computer readable for	m.
	furnish	ed subsequently to this	Authority in written form.	
	furnish	ed subsequently to this	Authority in computer readable form.	
	The sta	atement that the subseque tional application as filed	ently furnished written sequence listing doe I has been furnished.	es not go beyond the disclosure in the
	The sta been fu	tement that the informatio	on recorded in computer readable form is iden	ntical to the writen sequence listing has
4. X	The ar	nendments have resulted	d in the cancellation of:	
	X t	he description, pages	NONE	
	$\overline{\nabla}$	he claims, Nos.	NONE	
	X t	he drawings, sheets/ fig	NONE	
5.			(some of) the amendments had not been mad	
in ti	lacement	sheets which have been fur	is indicated in the Supplemental Box (Rule 70 mished to the receiving Office in response to an d are not annexed to this report since they d	invitation under Article 14 are referred to
	•	ment sheet containing suc	ch amendments must be referred to under iter	m I and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US02/21860

statement			
Novelty (N)	Claims	1-19	YI
	Claims	NONE	NO
Inventive Step (IS)	Claims	1-19	YI
	Claims	NONE	NO
Industrial Applicability (IA)	Claims	1-19	Χ'n
industrial Application (1A)	Claims	NONE	Y) N(
modules operable in parallel that execute at landules operable in parallel that execute at landules to perform a chemical process and which ends have apertures therein for admitting each of the plurality of modules for conducting	chemical proces least a part of a wherein the sub g and releasing ng at least one	-(4), because the prior art does not teach or fairly suggest a s, wherein the device comprises: a plurality of subsystem a process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a set one fluid flow controller for controlling the flow of process.	or of
modules operable in parallel that execute at landules operable in parallel that execute at landules operable in parallel that execute at landules to perform a chemical process and which ends have apertures therein for admitting each of the plurality of modules for conducting second of the process spaces of each such mo	T Article 33(2) chemical proces east a part of a wherein the sub; and releasing at least one	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or of
modules operable in parallel that execute at landules operable in parallel that execute at landules operable in parallel that execute at landules to perform a chemical process and which ends have apertures therein for admitting each of the plurality of modules for conducting second of the process spaces of each such mo	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or of
modules operable in parallel that execute at I chamber to perform a chemical process and when ends have apertures therein for admitting each of the plurality of modules for conducting each of the process spaces of each such modules through the manifold. NEW CITATIONS ————————————————————————————————————	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or i of
modules operable in parallel that execute at I chamber to perform a chemical process and when ends have apertures therein for admitting each of the plurality of modules for conducting each of the process spaces of each such modules through the manifold. NEW CITATIONS ————————————————————————————————————	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or a of
modules operable in parallel that execute at I chamber to perform a chemical process and when ends have apertures therein for admitting each of the plurality of modules for conducting each of the process spaces of each such modules through the manifold. NEW CITATIONS ————————————————————————————————————	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or i of
modules operable in parallel that execute at I chamber to perform a chemical process and when ends have apertures therein for admitting each of the plurality of modules for conducting each of the process spaces of each such modules through the manifold. NEW CITATIONS ————————————————————————————————————	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or i of
modules operable in parallel that execute at I chamber to perform a chemical process and when ends have apertures therein for admitting each of the plurality of modules for conducting each of the process spaces of each such modules through the manifold. NEW CITATIONS ————————————————————————————————————	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or i of
modules operable in parallel that execute at I chamber to perform a chemical process and when ends have apertures therein for admitting each of the plurality of modules for conducting each of the process spaces of each such modules through the manifold. NEW CITATIONS ————————————————————————————————————	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or i of
modules operable in parallel that execute at I chamber to perform a chemical process and when ends have apertures therein for admitting each of the plurality of modules for conducting each of the process spaces of each such modules through the manifold. NEW CITATIONS ————————————————————————————————————	T Article 33(2) chemical proces east a part of a wherein the subgrand releasing ag at least one dule; and at lea	s, wherein the device comprises: a plurality of subsystem process, wherein each module comprises an elongated react system module comprises first and second ends, wherein each process fluids; at least one manifold connected to one end of fluid stream between a first one of the process spaces and a	or i o